Reg. No.:

## Question Paper Code: 27122

## B.E./B.Tech. DEGREE EXAMINATION, NOVEMBER/DECEMBER 2015.

Fifth Semester

Civil Engineering

## CE 6502 — FOUNDATION ENGINEERING

(Regulation 2013)

Time: Three hours

Maximum: 100 marks

Answer ALL questions.

PART A — 
$$(10 \times 2 = 20 \text{ marks})$$

- 1. What is mean dilatancy?
- 2. Write the uses of bore hole report.
- 3. What is the allowable maximum settlement of commercial, Industrial and ware house building?
- 4. What is the ultimate hearing capacity of a circular footing of 1.5 m diameter resting on the surface of a saturated clay of unconfined compressive strength of  $100 \text{ kN/m}^2$  Take  $N_c = 5.7$ ,  $N_q = 1$ ,  $N_r = 0$ ,  $\sigma = r$  D = 0.
- List out the types of footing.
- 6. Write the components of total settlement?
- 7. What are the methods available to determine Load caring capacity of pile?
- 8. For a pile designed for an allowable load of 400 kN driven by a Steam hammer (Single acting) with a energy of 221 t-cm, what is the approximate terminal set of pile?
- 9. Define surcharge angle.
- 10. What force is acting on retaining wall?

## PART B — $(5 \times 16 = 80 \text{ marks})$

11. (a) Explain in detail about the geophysical method of site exploration with neat sketch.

Or

- (b) Write short notes on:
  - (i) Selection of Foundation based on soil condition (8)
  - (ii) Disturbed and Undisturbed soil sample (4)
  - (iii) Uses of soil Exploration. (4)
- 12. (a) A strip footing 2 m wide carries a load intensity of 560 kN/m² at a depth of 1.2 m in sand. The saturated unit weight of sand is 18 kN/m³ and unit weight have a water table is 16.8 kN/m³.

The shear strength parameters are C=0 and  $\phi=35^\circ$  determine the factor safety with respect to shear failure for the following cares of location of water table.

- (i) Water table is 3 m below ground level
- (ii) Water table is at G.L itself level
- (iii) Water table is 4 m below ground level
- (iv) Water table is 0.5 m below level. (16)

Or

- (b) Explain in detail about IS code method for computing the bearing capacity of soil with various types of failure and shape factor.
- 13. (a) Discuss in detail about the design producer for Rectangular combine footing and Trapezoidal combine footing with suitable sketch.

Or

- (b) Write brief notes on:
  - (i) Mat Foundation (6)
  - (ii) Floating Foundation (6)
  - (iii) Seismic force consideration in footing design. (4)
- 14. (a) Explain in details about the various types of pile foundation with neat sketch and write their functions.

Or

- (b) Write short notes on:
  - (i) Negative skin friction (5)
    (ii) Under reared piles
  - (ii) Under reared piles (4)
  - (iii) Piles Cap (2)
  - (iv) Settlement of pile group in clay. (5)

2

27122

15. (a) Explain in details about the CUL MANN's graphical method for finding active pressure with a neat sketch.

Or

- (b) Discuss in detail about the Rankines theory for the following cases of cohesions soil and cohesive soil.
  - (i) Submerged back fill

(8)

(ii) Back fill with sloping surface.

(8)

